



Version 5 May 2023

**DAILY SAFETY AUDIT**

Maximum duration 30 mins

<b>Site:</b> Birmingham Hub	<b>Area:</b> Hub, Yard, QC, Office	<b>Date:</b> 14/11/2024	<b>Time:</b> 12:00
<b>Auditor/s:</b>	1. Liam Pegg	2.	3.

BEHAVIOUR					
ITEM	OBSERVATION	ACTION REQUIRED	PERSON RESPONSIBLE	PRIORITY LEVEL	ACTION DATE
Personal protective equipment / site rule breaches.	PPE given out to individuals	Sorting out more orders in the afternoon.	L.Pegg	1	14/11/24
Use of mechanical handling equipment.	No action needed				
Toilets, smoking areas and welfare facilities.	No action needed				
Lift trucks – including the L.P.G refuelling stations and bottles.	No action needed				
Housekeeping including the emergency exits.	No action needed				
EQUIPMENT					
Work Equipment – including hazardous energy.	No action needed				
Firefighting and first aid equipment (Check dates)	No action needed				
Substances hazardous to health – COSHH / ADR / spillages	No action needed				
Pre-shift checks – present and signed.	No action needed				



Version 5 May 2023

ENVIRONMENT					
ITEM	OBSERVATION	ACTION REQUIRED	PERSON RESPONSIBLE	PRIORITY LEVEL	ACTION DATE
Lighting	No action needed				
Walkways / roadways / Skips	Noticed a pest control station lid was open near A section	Contacted maintenance who advised me that this station was obsolete and will be removed.	Maintenance	1	14/11/24
Pallets	No action needed				
Roller shutter doors	No action needed				
Signage / Barriers / Sleepers / Fences	Signage was still displayed	Lasted for now, keep on checking.	L.Pegg	4	Ongoing
IMAGES					
ADDITIONAL COMMENTS / REMARKS					
PRIORITY KEY					
Priority 1	Non-compliance corrected immediately.				
Priority 2	Non-compliance corrected within 3 days.				
Priority 3	Deviation corrected within 7 days.				
Priority 4	Deviation needs a budget or additional resources / skill must be accompanied by an achievable completion date.				